

Assembly & Use Manual EAN code 4041103919901/4041103919925

General safety instructions for product use and operation



Caution:

1. Read the following instruction thoroughly before unpacking the luminary and starting its installation.
 - ☐ Important! Read this instruction carefully. Retain the operating instruction for later use.
 - ☐ This product is intended for use in a private household, not for commercial or industrial use!
2. PLS note that all kind of work within electrical appliances shall be proceeded only by a professional electrician.
3. PLS follow the instruction and keep it for the future needs.
4. Whenever you give the luminary product to the third person always include the corresponding instruction.
5. The product is only intended/allowed for connection to 220-240V~ 50Hz AC Voltage and only with the light sources as indicated in the part called „Technical Parameters“
6. Avoid any damaging or clamping of cable. Cables must be laid in such a way that they do not run over sharp edges and are not crushed or subjected to tensile loads.
7. Please do not look directly into light while switching on or operating the illuminator to avoid eye damage.
8. If there are any electrical components or parts broken, have it replaced or repaired only by an authorized electrician.
9. This luminary is intended only for an indoor installation (IP20)
 - Do not use in potentially explosive and fire-prone areas.
 - Keep the lamp away from flammable materials and objects!
 - Do not expose the lamp to strong heat, exposure to moisture and dust.
10. The luminaire is designed according to protection class II and does not require the connection with a protective conductor.



Warning: Before you start any kind of work within the electrical appliance, you must cut off the current supply at first. Pull out the fuses or switch the current off assuring nobody else switch it back on. Danger of electrical shock!!

Cleaning and Maintenance.

1. PLS cut off the electrical supply and let the luminary get completely cooled before you start cleaning it.
2. PLS clean the luminary with a dry soft cloth.

Repairs



Warning: PLS note that all kind of work within electrical appliances shall be proceeded only by an authorized electrician.

Technical Parameters:

AC 230 V ~ 50 Hz, DC 24V Adapter supplied

DC 24V~50Hz, 1 x LED (**whole lamp**) 17Watt 900lm , 4000K

DC 24V~50Hz, 1 x LED-Board (**only**) 15Watt 1100lm , 4000K

This product contains a light source of energy efficiency class <G>.



Replaceable (LED only) light source by a professional.



Replaceable control gear by a professional.

LED	15W
	1100Lm
	17W
	900Lm
t	30.000h
Tk	4000K
	15000x
	< 1s

The CE-conformity declaration to the product is available on our homepage: www.h-p-i.de under point "Produktinfo".

Assembly instruction

1. PLS remove any packaging material from the product and its parts.
2. PLS put the all the delivered parts together step by step, following below given drawing and text.


Waste Disposal of the electrical appliance!

If you decide to get rid of the product one day, be aware that many components are made of valuable raw materials and can be recycled and reused. Never dispose any electrical appliance to the dustbin, but bring it to your Electrical Waste Collecting Plant.

LOT-Nr.: KT25881

Operation Instruction:

1. Connect the plug of adapter to the luminaire



2. Short press to turn on / off the lamp

3. Long press to adjust brightness, non-step dimming

☐ **Connect to the power supply in accordance with national regulations.**

Producer/Importer:

Home Product Import GmbH

Graf-Zeppelin-Straße 5

D- 46149 Oberhausen, www.h-p-i.de



Explanation of the symbols



Protection class I – the appliance must have their chassis connected to electrical earth by a separate earth conductor coloured green/yellow in most countries



Protection class II or double insulated electrical appliance is one which has been designed in such a way that it does not require a safety connection to electrical earth (ground)



Protection class III - A Class III appliance is designed to be supplied from a separated/safety extra-low voltage (SELV) power source



Required minimal distance between the light source and the illuminated surface (in meter) to be kept



suitable only for low-pressure halogen lamps



only for indoor installation

EN



suitable for outdoor installation (splash proof)



Product fulfils all the valid European directives



At the end of its lifecycle, this product must not be disposed of with your normal waste, but instead must be returned to a recycling facility for electric and electronic devices



With On/Off touch function



With Sensor dimmer